



For your nearest
Dexion Supply Centre, please call:
Australia 1300 339 466 or visit
www.dexion.com.au

Asia +603 5520 6000
www.dexion.biz

New Zealand 0800 339 466
www.dexion.co.nz

Publisher: Dexion (Australia) Pty Limited, ABN 83 000 083 956

Copyright: All material in this publication is copyright to the publisher. No material may be reproduced without the express permission of the publisher.

Notice: Whilst the utmost care is taken to ensure the accuracy of the information contained herein, it is provided with the understanding that Dexion shall under no circumstances be liable for any injuries, expenses or other losses which may in some way be attributable to the use or adoption of products, services, information, data and/or design details listed. All dimensions indicated are nominal only. Dexion reserves the right to alter or amend without prior notice details specified within.

Products: Products available while stocks last. Products may vary at individual outlets. Unforeseen supply problems or unexpected demand may occasionally result in stock being unavailable.

Not all products advertised are displayed in all outlets. Accessories shown in the photographs are not included. Delivery, installation and handling fees will apply.

Dexion®, Circle with tick logo device®, Compactus®, Keylock®, Marlbro®, Ultima®, Speedlock®, EasyFit®, Precision®, are registered trademarks of Dexion (Australia) Pty Limited. Freetrack® and Mekdrive® are registered trademarks of Glidestore Freetrack Pty Ltd.


**STORE
it**

STORAGE SOLUTIONS
ISSUE #4

DEXION®
Smarter thinking.



warehouse



workshop



office



Welcome to the latest Store It catalogue,
from Dexion.

As you'll see, it's jam packed with all things Dexion.
For your warehouse, for your workshop, or for your
office.

All in a practical, no-nonsense, here's-the-facts way.

Why call it Store It? Well, for practically anything you
can think of, in here you'll find the best way to, well,
store it.

And how should you use it? Flick through it, for a
grand overview of our collection.

Order from it. And, keep it (store it, you
could say).

If, by chance, something you want is not in here,
please call us or visit our website.



warehouse

Our locations	4 – 7
Components	10 – 11
Component testing	12 – 13
Pallet racking	14 – 18
Cantilever racking	19
Racking accessories & protection	20 – 23
Carton live storage	24 – 25
Raised storage areas	26 – 28
HVLS Fans	29
Vertical carousels	30 – 31
Conveyors	32 – 33
ASRS racking & shuttles	34 – 36
WMS & WCS	37
Docks & doors	38 – 39
Warehouse services	40 – 41

workshop

Shelving	44 – 51
Workbenches	52 – 55
Small parts storage	56 – 59

office

Shelving	62 – 63
Compactus	64 – 72
Strata 2 cabinets	73 – 77
Library shelving	78 – 79
Lockers	80 – 81
Precision & FirstLine Cabinets	81 – 85
Dynamic locking	86 – 87

warehouse

Components	10 – 11
Components Testing	12 – 13
Pallet Racking	
Selective Racking	14
Narrow aisle Racking	15
Double deep Racking	16
Push back Racking	17
Drive-in Racking	18
Cantilever Racking	19
Racking Accessories & Protection	
Accessories	20 – 21
Protection	22
Dexion Smart Guards	23
Carton Live Storage	24 – 25
Raised Storage Areas	
Customised Steel	26
Rack Supported	27
Ultima LT	28
HLVS Fans	29
Vertical Carousels	30 - 31
Conveyors	32 - 33
ASRS Racking & Shuttles	
ASRS & Shuttle Racking	34
HDS Shuttle	35
HDS 4 Way Shuttle	36
WMS & WCS	37
Docks & Doors	
Dock Levellers	38
Industrial & High Speed Doors	39
Warehouse Services	40 - 41

Upright.

Uprights come in a galvanised or painted finish and bring all the rigour and safety of AS4084 and EN standard compliance. Uprights are made with high strength steel providing maximum strength and structural robustness.

Connector.

All beams are provided with five point connectors. Five point connectivity provides increased stiffness between the upright and the beam, which increases the beam's load carrying capacity and the lateral stability of the rack structure. The design of the connector ensures that the beam loads are correctly dissipated vertically down the front of the upright ensuring the upright is not vulnerable to potential damage by lateral load.

Box Beam.

Our market leading box beams are made from two identical channel sections nested together to form a box.

This protects your box beam at the point where it receives the most punishment from truck forks and laden pallets. Instead of a conventional design, which is weak where it's most likely to be hit, the Speedlock Box beam has two 'C' sections interlocked over the length of the beam, forming a double skin at the top and the bottom. It's strongest where it's needed most.

Safety Lock.

Fitted as standard, safety locks are spring loaded and lock automatically when the connector clicks into place. Safety locks prevent the beam from accidentally being dislodged. Uplift load in accordance with AS4084.

Baseplate.

Baseplates meet all loading conditions safely, providing suitable floor loading and fixing.

Components so smart they've been to university.

Each component in the Dexion range has been designed and independently tested for, AS4084 and EN compliance at the Faculty of Civil Engineering at the University of Technology, Sydney (UTS), Australia. UTS have conducted over 1000 tests on Dexion's racking components to determine their material properties. The results of these tests are

evaluated by Dexion engineers to determine the structural performance of the components. The thoroughness of these testing procedures ensures Dexion components perform to their stated loads. This provides peace-of-mind in quality components which have been put to the test before they reach the distribution centre floor.

Design versatility
and class-leading
carrying capacity.



Box Beam - Double Skin




Box Beam (Single Skin).




Channel Beam.



RHS Beam.



Step Beam.



Open Beam.



Spring-loaded automatic safety lock.



Standard baseplate.



Stiffened baseplate.



Narrow aisle baseplate.



Heavy duty baseplate.



90G / 90R upright.



90M / 90H upright.



90E upright.



100R / 100H upright.



100M / 100H upright.



90mm splice

warehouse products



Certification letter for Dexion's 2011 tests

RE: Testing of Dexion Components

To whom it may concern,

Industrial racking components supplied by Dexion have been the subject of extensive testing for structural strength and serviceability. These tests were carried out at the Materials and Structural Testing Laboratories of the University of Technology, Sydney.

Over 950 tests were conducted on Dexion's Australian, Malaysian and Chinese manufactured components. The tests conducted were:

- 1) Material tensile tests
- 2) Stub column compression test
- 3) Compression test upon uprights (checking for the effects of distortional buckling)
- 4) Bending tests on beam end connectors (Cantilever test)
- 5) Looseness tests on beam end connects
- 6) Shear tests on beam end connectors
- 7) Test on floor connections
- 8) Tests for the shear stiffness of upright frames
- 9) Test on upright splices

All tests were successfully conducted in compliance with the requirements of the European Standard EN 15512:2009 'Steel static storage systems - Adjustable pallet racking systems - Principles for structural design'. The tests were also prepared in accordance with the then available 2011 draft of the Australian Standard DR AS4084 'Steel storage racking' and are in compliance with the requirements of the recently published edition AS4084:2012 'Steel storage racking'.


Dr Ali Saleh
School of Civil and Environmental Engineering
Materials and Structural Testing Laboratories
University of Technology, Sydney
26 June 2012

accessUTS Pty Limited
PO BOX 123
Broadway NSW 2007 Australia
Tel +61 2 9514 1916 Fax +61 2 9514 1433
ABN 55 098 424 312

accessUTS is a controlled entity of the University of Technology, Sydney

Components tried and tested for AS4084:2012 and EN15512:2009 compliance.

During a 6 month period, extensive independent testing was conducted on Speedlock components. Over 1000 tests were conducted to determine the material properties of Dexion's components. The results of these tests are evaluated by Dexion's engineers to determine the structural performance of the components. The following tests were conducted.

TEST:
BEAM END CONNECTORS.



This test measures bending capacity and rotation of the beam/upright connection. It also measures shear strength of the connector and connector lock and obtains a value of the looseness of the connection to inform the design calculation.

TEST:
UPRIGHT STUB COLUMN.



Stub column tests are used to help determine the ultimate strength of the uprights.

TEST:
UPRIGHT SPLICE.



Determines the stiffness and strength of splices between upright sections.

TEST:
UPRIGHT LONG COLUMN.



The long column tests determine the axial load capacity of the upright taking into account the influence of buckling.

TEST:
BASEPLATE.



Measures the moment-rotation characteristics of the connection between the upright and the floor across a range of axial loads up to the maximum design strength of the upright.

TEST:
FRAME SHEAR STIFFNESS.



The frame shear stiffness test determines transverse shear stiffness per unit length of upright frame to assess the stability and shear strength of the frame.

TEST:
TENSILE.



The tensile test determines the strength of the steel ensuring the accuracy of calculations.



Access all pallets all the time.

Selective Racking.



Your need:


You have lots of products going to lots of places. Orders are complex, with a mix of SKUs. Ready access is a must, low cost a plus.

Our solution:

Selective pallet racking is very cost-efficient, offering you high capacity with easy access. Simple to install and customise, being infinitely adjustable. Serviced by conventional forklifts.

Vital statistics:	
Average locations used	95%
Immediate accessibility	100%
Stock rotation	Good
Average floor area by pallet position (sqm)	0.85

Narrow Aisle Racking.



Your need:

Space is at a premium and you have many SKUs. Your orders are complex and varied, and you need high-density storage. Though turn-around times aren't critical, you need quick access to everything.

Our solution:

Maximise your floor area and roof height. Gives you direct access to every pallet. Serviced by special forklift trucks.

Vital statistics:	
Average locations used	95%
Immediate accessibility	100%
Stock rotation	Good
Average floor area by pallet position (sqm)	0.45



Minimise aisle. Maximise space.

warehouse products



Big orders dispatched fast.

Double Deep Racking.



Your need:


Not a lot of products, but distributed in high volumes. Maybe you make them yourself. The same SKUs are in groups of pallets before dispatch.

Our solution:

Stores up to four pallets deep, for quick dispatch of big, single-SKU orders. Double-entry aisle allows unbeatable access by dual pantograph or sliding fork attachments. Upper levels can be fitted with helpful guide rails.

Vital statistics:	
Average locations used	88%
Immediate accessibility	50%
Stock rotation	Average
Average floor area by pallet position (sqm)	0.60

Push Back Racking.



Your need:

You require maximum storage density, you are not concerned about stock rotation and you have large batches of the same SKUs. You are looking for operating efficiencies and are safety-focused. Pallet access is arranged on a Last In, First Out basis.

Our solution:

Push back racking combines high-density storage with high-speed access by conventional forklift trucks. Pallets may be safely stored 2 to 6 deep. Pallets are gravity fed ensuring the pick face is constantly filled.

Vital statistics:	
Average locations used	80%
Immediate accessibility	Up to 100%
Stock rotation	Average
Average floor area by pallet position (sqm)	0.55



Last in first out.

warehouse products



Get more from every cubic metre.

Drive-in Racking.



Your need:


Only a few SKUs, but many pallets. Space efficiency and low cost are critical, and you may need cold storage. First In, First Out isn't important.

Our solution:

This system's designed for high-volume, easy-access storage. Unique self-centring rails position pallets quickly, easily and safely. Works with conventional forklifts.

Vital statistics:	
Average locations used	75%
Immediate accessibility	Up to 100%
Stock rotation	Average
Average floor area by pallet position (sqm)	0.55

Clearspan® Cantilever Racking.




Your need:

You store long, awkward, light or very heavy items, perhaps outside, which you need quick, direct access to.

Our solution:

Clearspan Cantilever is ideal for light or very heavy, very long products, such as timber or furniture. With no front uprights to get in your way, it's great for extra-long things that can't be palletised. Galvanised option available for outdoors.

Vital statistics:	
Column height (Depth 200mm)	2000, 2400, 3600mm
Column height (Depth 300mm)	3300, 4200, 4800, 6000mm
Column height (Depth 400mm)	3300, 6000mm
Base SE & DE	600, 900, 1200mm
Arms	600, 900, 1200mm



New light Duty Cantilever to suit carrying loads of up to 1,000kg.

warehouse products

Pallet racking accessories.



Pallets support bars for heavier or shorter loads.



Fork entry bars enable safe handling of non-standard sized pallets or goods which are not sitting on a pallet.



Retainers to secure chipboard to beam levels.



Mesh binning for small parts storage.



Mesh decks accommodate the safe handling of non-standard pallet sizes.



Punch deck features a flat 50% open storage platform that provides efficient circulation of air, light and fire sprinkler water.



Safe working load signs indicate maximum safe loading limits. AS4084 compliant.



Dedicated cable storage systems for Speedlock racking.



The Dexion Pallet Drawers provide an ergonomic and safe way to hand pick various storage items within the pallet racking structure.

warehouse products

Pallet racking protection.



Column Guard



Universal Smart Upright Protector.



Rear Protector



HD Upright Protector



Rack End Protector

STORAGE

Tip

It's more cost-effective to replace a damaged guard than a damaged upright.

Dexion Pro Series Smart Guards.

Your need:
A cost-effective upright protection solution that is quick and easy to install and remove.

Our solution:
Dexion's new Pro Series Smart Guards protects your uprights from serious damage and support the longevity of your pallet racking structure and investment. The enhanced design eliminates the need for securing straps, fixing bolts or interference fit like other protectors on the market. This allows the upright protector to absorb shock independently of its connections without risk of shearing straps, deforming the protector and preventing costly floor repairs.

Vital statistics:	
Upright Size	90 or 100mm
Unit Height	600mm
Colour	Dexion Safety Orange
Material	Exterior Shell – High Impact Plastic Shock Absorber – High Density Foam
Application	Suitable for Speedlock & Keylock
Operational Temperature	Cold Room -40°C to 60°C



Dexion Smart Guard Upright Protector

Dexion Smart Guard Rear Upright Deflector

Carton Live Storage:

Your need:
You arrange your access on a First In, First Out basis. You need to hold more inventory at the pick face whilst reducing replenishment frequency. You hold a large number of unique items, that are picked in small quantities and are not suited to palletisation.

Our solution:
Carton live storage is a gravity-fed order picking system designed to increase efficiency while decreasing required floor space. It delivers full carton and split carton picking, with low capital outlay and operating costs, and this orderly picking system saves labour. Pickers work in the front aisle while replenishers work in the back. First In, First Out rotation in any lane is ensured. In high-volume situations, a pick-and-put-to light increases speed, efficiency and accuracy.

Vital statistics:	
Selecta Flo:	
Standard bed depth	2320, 3020mm
Standard bed width	2598, 2750mm
Bed load capacity	200kg per square metre
Roller Flo:	
Roller width (mm)	238, 314, 390mm
Standard track length (mm) / overall frame depth (mm)	
1946/2057, 1996/2110	
Variable roller pitch	25.4, 50.8, 76.2mm



Pick from the front.

Fill from the back.

Selecta Flo.



Makes light work of heavy loads.

Roller Flo.



Roller Flo provides a robust carton live storage solution. It provides an adaptable alternative to pallet or split case picking, depending on your requirements.

STORAGE *Tip*

Incorporate pick and put-to-light technology to increase the speed, efficiency and accuracy of pickers.

warehouse products



Taking things to a new level.

Raised storage areas: Customised steel.

Your need:

Flexibility of uninterrupted floor space on both levels to enable you to configure process activity independent of the structure's architecture. For example, you may want to utilise the ground floor as a workshop, storage, manufacturing or packing area.

Our solution:

By creating the raised platform out of customised steel, with a limited number of columns, you achieve uninterrupted space above and below which offers unlimited flexibility for utilisation of space.



Raised storage areas: Rack supported.

Your need:

The goods to be stored are not heavy in nature. You also need the flexibility of knowing the raised storage area is modular and can therefore be easily dismantled and relocated. Typical primary need is a hand-loaded storage facility where slow moving stock is stored on upper levels leaving the ground floor for fast moving stock items.

Our solution:

Utilising your existing racking support structure, create tiered platforms to facilitate picking access at multiple levels. The platforms are constructed from either mesh grated steel or ply flooring. You can also incorporate conveyors for efficient material flow.



Build on existing foundations.

warehouse products



Raised Storage Areas: Ultima LT Shelving.

Your need:

A economical and versatile shelving solution that is ideal for hand-loaded light duty storage that can be scaled.

Our solution:

Ultima LT Shelving is a modular and cost-effective shelving system that is engineered for durability, strength and stability. It provides effective storage for boxes, cartons, totes, Maxi Bins, archive files and a range of other light-duty items. As your business grows, you can easily add another level(s) of storage space within your existing premises utilising the Ultima LT multi-tier solution.

Vital statistics:	
Shelving Bay Height	1600, 1900, 2200, 2500mm
Shelving Depth	400, 600mm
Shelf Width	900, 1000, 1200, 1500mm
Shelf Capacity	90kg
Shelving Bay Capacity	Up to 2930kg*
Shelf Pitch	50mm
Standard Colour	Stone white (Beams & Shelves) Anthracite (Uprights) Galvanised (Floor Grating)
Accessories	Mesh Dividers Panel Dividers

*Based on Uniformly Distributed Load.

HVLS Fans.

Your need:

To effectively cool occupants in large commercial and industrial spaces and eliminate the build-up of hot stagnant air by maintaining constant air movement.

Our solution:

With a diameter of up to 7.3M, the Dexion HVLS Fan delivers a wind speed of 1-3M/S for a maximum coverage of 1200m². The low speed delivers gentle air movement rather than disruptive wind, and circulating a high volume of air that effectively distributes airflow over a large area. With only 1KW power consumption per hour required, the fan is highly efficient and energy saving.

Vital statistics:	
Fans Size	7.3m (24 FT)*
Motor Power	1Kw
Maximum Speed	55 rpm
Air disp. @ Max speed	14800m3/min
Weight	100 kg

*Other Fan sizes are available, contact us with your requirements for a custom design.



Cool your space

warehouse products



Carpet Carousel.



Textile Carousel.

Vertical Carousels & Cutters.

Your need:

You require a flexible high density storage solution that will maximise valuable floor space in your warehouse or showroom. You need to increase productivity, operational throughput, picking accuracy and efficiency, while reducing labour costs. You may also require the ability to integrate with your existing WMS and ERP systems. Protecting your inventory in a secure, clean environment whilst ensuring easy and fast retrieval of stored products is essential. The health and safety of your staff is paramount, so your storage solution must be safe, ergonomically designed, and easy to operate.

Our solution:

Dexion has the most extensive and diverse range of mechanised vertical storage carousels on the market. From a stand-alone machine with simple push-button controls; to a fully automated and system integrated solution. Vertical carousels optimise your available floor space by utilising the wasted vertical storage space within your facility. By employing the "Goods to Person" methodology, carousels can eliminate travel time and greatly increase picking rates. If required, vertical carousel's can seamlessly connect to your WMS and/or ERP systems, to provide real-time inventory management. Requiring only a single operator, vertical carousels are simple and safe to operate, and are ergonomically designed to reduce the risk of manual handling and lifting related injuries. A range of additional security options are also available, including; full enclosure/cladding to protect inventory from damage, ageing and theft, and password protection to prevent unauthorised access to stored goods



Flooring Cutter.



Rack n Roll Motorised Cutter.



Vinyl Carousel.



Tyre Carousel.



Wire Carousel.



Garment Carousel.



Cut n Roll Motorised Cutter.



Shelving Carousel.



Pan Carousel.



Multi Tower Application.




Dexion Conveyors.



New DC Powered Conveyors
A Motorized Drive Roller is used to drive section conveyor rollers by linking them through mechanical means and powering it with a 24V DC power supply.

Rolling with the flow.

Conveyors are used in distribution systems to move anything from small cartons up to full pallets quickly from point to point. There are many different types of conveyors available. Dexion applies its many years of experience and expertise to select the right equipment for each application. As part of designing a system, we consider what is being conveyed, its size, shape, condition, weight and the capacity that needs to be moved. Other considerations include allowing for accumulation, a form of buffering to even out peaks and troughs on a conveyor to spread the load. Additionally, other equipment can be integrated including label printer/applicators, weigh scales and carton sealers.



warehouse products



Reach the sky.

ASRS & Shuttle Pallet Racking.

Your need:

A highly accurate solution to cater for Automated Storage and Retrieval Systems (ASRS), high-bay warehouses, semi-automatic shuttle systems and mezzanine floors.

Our solution:

The Dexion 808 system can reach 60m in height and is a fully bolted system. Profiles can be manufactured with continuously punched holes (50mm pitch) or manufactured with the holes punched at specifically required positions. In high seismic zones, the project solution is tailor-made to the region to provide customers with added assurance and safety.

Vital statistics:	
Average locations used	80%
Immediate accessibility	Up to 100%
Stock rotation	Good
Average floor area by pallet position (sqm)	0.70



HDS Shuttle.



Your need:

You have a low SKU count and large batches. Stock can be either highly active or static but storage density is a major feature you require. You typically despatch by batch and use either First In, First Out or Last In, First Out.

Our solution:

The Dexion HDS Shuttle offers high-density pallet storage without forklift trucks entering the system. It makes the most of limited space and forklift truck fleets. Dexion HDS Shuttle units deposit and retrieve pallets within the system as required.

Vital statistics:	
Unload Time	3 sec
Loaded Speed	35m / min
Unloaded Speed	70m / min
Lift Capacity	Up to 2,000kg
Operational Temperature	Ambient: 0°C to +50°C Cold Store: -35°C to 0°C
Configuration	4 or 8 Wheel Options



No forklifts in storage lanes.



Dexion HDS Shuttle
Battery Charger



Dexion HDS Shuttle Smart
Battery Management Station

warehouse products



3 dimensional travel.

HDS 4Way Shuttle.

Your need:

To store a low number of SKUs in a very high storage density with high stock movement. You are typically in the Food & Beverage, eCommerce, Medical or 3PL industries.

Our solution:

The Dexion HDS 4 Way Shuttle is a deep lane storage and retrieval system. The shuttle is able to move multi-directionally on X,Y & Z axis. This allows the shuttle to change lanes and levels without the need for a forklift to constantly move the shuttle, greatly reducing labour costs and improving warehousing efficiency. The system can be semi automated or fully automated and integrated with a WMS or WCS. The racking design of this solution greatly increases storage capacity and space utilisation, which is 3-4 times larger than traditional racking systems.

Vital statistics:	
Unload Time	2.5m/s
Shuttle Weight	350kg
Lift Capacity	1,500kg
Use duration per single charge	6-8 hours
Control System	PLC
Operational Temperature	Ambient: 0°C to +50°C Cold Store: -25°C to 0°C
Shuttle Dimensions (LxWxH)	1076 x 940 x 150 mm

Warehouse Management & Control Systems.

Your need:

To streamline your warehouse processes with the objective of improving overall efficiencies and reducing operational costs in the warehouse or distribution centre.

Our solution:

The Dexion Real-time Distribution System (RDS) and RDS /t bridges the gap between your enterprise system and materials handling equipment. Designed to work with your existing ERP system, RDS delivers real-time management of all materials handling equipment, including paperless technologies, barcode scanners, scales, pick-to-light, voice and Radio Frequency.

With a user-friendly interface, simple point-and-click control and web-based, anywhere, anytime access, discover how you can take your warehouse management to the next level with Dexion.

Dexion has decades of experience working with iconic Australian and international brands, successfully completing over 100 different software implementations and upgrades.

Vital statistics:	
Hosting	Cloud or On Premise
Graphical User Interface	Browser based
Scanning Options	Android, IOS or RF
ERP Integration	Via API / File Interchange
Carrier Integration	Australia Post / StarTrack
Real-time Information	Millisecond response time

Every warehouse needs a coach



RDS - Designed for more complex automation projects



RDS /t - Developed for small and medium sized businesses

warehouse products



Optimise goods in and out

Dock Levellers.

Your need:

To streamline your dock area workflow for the transfer of goods in and out of your facility.

Our solution:

The Dexion Hydraulic Dock Leveller bridges the gap and height differences between truck and warehouse floor to enable safe, smooth and efficient load and unload operations. It features a single push-button control for easy operation to raise stored dock leveller to floor position. Designed with worker safety in mind to prevent injuries and accidents.

Our dock leveller solutions cater for both Cold and Ambient warehouses with options that integrate with Doors and Truck unloading safety devices.

Vital statistics:	
Standard Size	6ft x 8ft, 6ft x 10ft
Standard Capacity	11 tonnes to 18 tonnes
Operating range	305mm above & below deck
Power supply	240 Volt, Single Phase/50Hz
Colour	Anthracite Grey (RAL 7016)

Industrial & High Speed Doors.

Your need:

To optimize the entry and exit points of your operation and protect your working environment against temperature loss, noise and/or wind.

Our solution:

Dexion has a complete range of Industrial, Compact and High Speed Doors to suit logistics centers, cold stores, food processing and distribution facilities, medical and vehicle storage areas. The doors improve goods flow into your business, preserve moisture, prevent dust, and minimise energy costs. They can be customised to match your building with a wide range of colours and materials, then complemented with your choice of optional features and accessories.



Streamlined entry and exit solutions

warehouse products



Your racking service and maintenance obligations to ensure standards compliance.

With tougher safety standards and ever increasing work health safety demands, being a warehouse manager has never been tougher. You have a duty of care to comply with legislation to ensure staff safety.

You're not alone, Dexion's national team of dedicated service professionals and inspectors can help.

OBLIGATION #1 ANNUAL INSPECTIONS.



Inspection of racking structures to be carried out on a regular basis, at least once every 12 months. Dexion offers onsite rack inspection with on the spot reports.

OBLIGATION #2 RACK PROTECTION SYSTEMS.



Rack protection systems and wrap-around guards are required to protect the racking structure. Dexion has a range of protective devices which comply with the standard.

OBLIGATION #3 SAFE WORKING LOAD SIGNS.




Racking installations shall have one or more safe working load signs in conspicuous locations. Dexion can assess your rack for maximum safe loading limits and provide the signs thereafter.

OBLIGATION #4 RACK SUPPLIER APPROVED ALTERATIONS.



Alterations to racking configurations are prohibited without the approval of the racking supplier. Dexion offers a reconfiguration and relocation service.

Damage assessment: AS4084:2012 compliance



warehouse products

workshop

Shelving	
Ultima Longspan 2 Shelving	44 – 45
Ultima Longspan 2 Rear Fit Shelving	46
Easyfit Boltess Wire Shelving	47
Speedlock Shelving	48 - 49
Ultima CI-80 Shelving	50 - 51
Workbenches	
Medium Duty	52 – 53
Heavy Duty	54 – 55
Small Parts Storage	
Binning Systems	56 – 59
Easyfit Wire Baskets	59



Ultima Longspan 2.

Your need:

A flexible shelving solution that can handle larger, heavier or awkwardly shaped items.


Our solution:

The Dexion Ultima Longspan 2 is Dexion's most popular hand-loaded shelving solution, it is engineered to be strong, durable and safe. The innovative new design leverages Dexion's smart beam connection to increase the performance and flexibility of the shelving system. Complete with an extensive range of accessories the Dexion Ultima Longspan 2 can be customised to suit your specific needs.

Vital statistics:	
Shelving bay height	900, 1200, 1500, 1800, 2000, 2200, 2500, 3000mm
Shelving width	900, 1200, 1500, 1800, 2100, 2400mm
Shelving depth	400, 450, 500, 600, 760, 900, 1200mm
Shelf capacity	Up to 970kg based on Uniformly Distributed Load
Shelving bay capacity	Up to 3950kg based on Uniformly Distributed Load
Standard beam height	60mm
Beam pitch	50mm
Standard finish	Stone White (Beams), Anthracite (Uprights)
Accessories	Castors, hanging rails, timber, mesh or steel shelf infills, shelf dividers, shelf support bars

STORAGE *Tip*

Fastest moving products should be spread across different zones within a particular storage medium. This will help balance the workload and minimise congestion within a particular area.



Ultima Longspan 2 starter and extension bay with particle board shelves.



Ultima Longspan 2 with mesh shelves provides improved fire safety performance.



Dexion Longspan 2 can now go around corners to better utilise storage capacity and improve system flexibility.



The innovative new design leverages Dexion's smart beam connection.



Transform your standard shelving solution for retail and fashion with hang rails.



Add castor wheels to make your Longspan 2 shelving mobile.

standard dexion workshop products



Longspan 2 Rear Fit Connection.



Longspan 2 Rear Fit Front Face.

Ultima Longspan 2 - Rear Fit.

Your need:

A flexible shelving solution to suit a heavy duty retail application.

Our solution:

The Dexion Ultima Longspan 2 – Rear Fit has no holes visible on the front face. The aesthetic is clean and uncluttered making it perfect for the commercial or retail environment while still engineered to be strong, durable and safe. The innovative new design leverages Dexion's smart beam connection to increase the performance and flexibility of the shelving system.

Vital statistics:	
Shelving bay height	1200, 1500, 1800, 2000, 2200mm
Shelving width	900, 1200, 1500, 1800, 2100, 2400mm
Shelving depth	400, 450, 500, 600mm
Shelf capacity	Up to 890kg based on Uniformly Distributed Load
Shelving bay capacity	Up to 3000kg based on Uniformly Distributed Load
Standard beam height	60mm
Beam pitch	50mm
Standard finish	Stone White (Beams), Anthracite (Uprights)

EasyFit Boltless Wire Shelving.

Your need:

Sturdy wire shelving you can put together without tools, for wet or dry areas in a home, office, shop, restaurant or kitchen.

Our solution:

A boltless wire shelving system that's quick and simple to assemble. No bolts, so no tools. Easy to dismantle and reposition. Adjustable and adaptable, so it can change as your needs do. Available in Chrome or Stainless Steel to suit any storage application. Contemporary, durable and attractive style.

Vital statistics:	
Shelving height	1000, 1200, 1500, 1800, 1900, 2000, 2100, 2200mm
Shelving width	610, 757, 910, 1060, 1215, 1370, 1518, 1822mm
Shelving depth	355, 460, 533, 610mm
Shelf carrying capacity	Up to 250kg*
Standard finish	Chrome & Stainless Steel 304 Chrome
*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.	

STORAGE *Tip*

Add extra shelves for high density storage.



workshop products



Speedlock® Shelving: Heavy Duty.

Your need:

Something that can handle longer, bulkier and very heavy items.
An economical solution that can be highly customised.


Our solution:

Speedlock shelving is made from the same beams and uprights we use for our pallet racking, so it is the ultimate in heavy duty shelving. There is a wide selection of beam sections and lengths which means it can suit almost any space. Its bolted construction means it is fully adjustable, and it can be fitted with timber or mesh shelves.

Vital statistics:

Shelving height	900, 1800, 2400, 3000mm
Beam length	
50 Open	1350, 1500, 1800, 2400, 2600, 2750mm
75 Open	1350, 1500, 1800, 2400, 2600, 2750, 3000mm
55 & 80 Step	1350, 1500, 1800, 2400, 2600, 2750mm
Shelving depth	600, 750, 840, 900, 1000, 1050, 1200, 1300, 1350, 1500mm
Shelf carrying capacity	Up to 1000kg*
Beam pitch	50mm
Standard colour	Orange (beams), Galvanised (uprights)

*Uniformly Distributed Load. Shelf, beam and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Step beam.



Open beam.



Box Beam.



Melamine shelves within Step beam. Recessed shelf is protected by the steel beam.



Board sits on top of the Open beam profile and is secured by retainers.



Board sits on top of the Box Beam profile and is secured by retainers.



Mesh shelves within Step beam.



Outdoor Speedlock with corrosive resistant safety clip.



Outdoor Speedlock with safe edge mesh shelf.



Outdoor Speedlock with heavy duty baseplate.



Ultima® CI-80 Shelving.

Your need:

A single-tier, hand-storage system for small parts of light to medium weight. Your business is growing and evolving, so you need a solution that can change with you.

Our solution:

Employing a modular system, Ultima CI-80 expands in any direction. A common frame panel makes sideways extension simple while units are made mobile with Compactus bases and runners. A wide range of accessories allow you to switch between front office and backroom applications.

Vital statistics:

Shelving height	1875, 2175, 2400mm
Shelving width	750, 900, 1050, 1200mm
Shelving depth	250, 300, 400, 450, 500, 600mm
Shelf carrying capacity	Up to 240kg*
Shelving bay capacity	Standard frames - Up to 1035kg* Reinforced frames - Up to 1700kg*

Shelf pitch	25mm
Standard colour	Stone White

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Add shelf supports for additional load carrying capacity.



Ultima CI-80 starter and extension bay with steel shelves. Shelf carrying capacity can be increased to 200kg UDL by adding shelf supports.



Ultima CI-80 starter bay with steel shelves. Shelf carrying capacity can be increased to 200kg UDL by adding shelf supports.



workshop products



Workbench: Medium Duty.

Your need:

A workbench that is very flexible, can be easily configured to any length and is economical.

Our solution:

Ultima Longspan 2 benches give you the ultimate in flexibility. They can be configured to any length and are easy to put together. They are not too heavy, but still strong. They are cost effective and can also be accessorised with small parts bins and high density drawer systems.


Vital statistics:	
Height	Can be customised to suit any height
Width	900, 1200, 1800, 2100, 2400mm
Depth	400, 450, 500, 600, 760, 900, 1200mm
Beam height	75mm
Beam pitch	50mm
Standard colour	Stone White (beams), Anthracite (uprights)

STORAGE

Tip

For the ultimate workshop solution, integrate louvred panels and small parts bins (see opposite).

- 01 Safety lock ensures beams are not dislodged.
- 02 Bolted frames.
- 03 Clip in beams.
- 04 Range of tops available: particle board, melamine and stainless steel.
- 05 Undershelf provides added stability and is easily adjusted at any height along the upright.
- 06 Incorporate louvred panels for the storage of small parts, using bins and hooks.
- 07 Work surface sits within the beam. Supports can be added to increase loaded carrying capacity of the top.



Ultima Longspan 2 workbench with particle board work surface and bottom shelf with louvred panel and bins.



Ultima Longspan 2 workbench with particle board work surface and bottom shelf.

workshop products



Workbench: Heavy Duty.

Your need:

A workbench that is tough and simple to put together.

Our solution:

Speedlock benches are made from the same beams and uprights that we use for our pallet racking, so they are the strongest benches around. They can be easily assembled, and can be customised with the addition of a top shelf, or by adding maxi bins or high density drawer systems for small parts storage.

Vital statistics:


Height	900 standard, can be customised to suit any height
Width	2780mm
Depth	600, 750, 840, 900, 1000, 1050, 1200, 1300, 1350, 1500mm
Beam height	75mm
Beam pitch	50mm
Standard colour	Orange (beams), Galvanised (uprights)

STORAGE *Tip*

Wrap particle board work surface with sheet metal for an oil resistant surface.



Speedlock workbench. 75 Open beams with particle board work surface and bottom shelf with louvred panel and bins.
Note: Flush fitting 75 Open beams fitted to work surface level only.




Speedlock workbench. 75 Open beams with particle board work surface and upper and bottom shelf.



Melamine work surface provides wipe clean top.



Work surface sits on top of the beam. Supports can be added to increase load carrying capacity of the work surface.



Speedlock workbench. 75 Open beams with particle board work surface and bottom shelf.



Louvred panel double sided with extension and maxi bins and hooks.


Small Parts Storage: Binning Systems.

Your need:


Small parts to be immediately accessible and highly ordered.

Our solution:


Dexion's range of shelf, hanging and stackable bins allow you to sort small parts any way you like. Our Maxi bins come in seven sizes and five different colours. They can be stacked, hung off louvred panels or incorporated into other Dexion storage systems. There are literally countless combinations.



Single pronged, double pronged and closed loop steel hooks are great for hanging a variety of parts such as fan belts, gaskets, hoses and packaged items such as automotive parts.




- 01 Smooth internal features with curved edges making bins easy to clean and provides quick and easy product picking.
- 02 Divider available for P30, P40, P45 and P60.
- 03 Unique rear recessed holding grip.
- 04 Deep rear lip to facilitate bin hanging on louvred panel.
- 05 Uniquely moulded top rim to ensure secure stacking.
- 06 Reinforced moulding provides stacking strength.
- 07 Wide base moulding to stack securely.
- 08 Wide identification label.
- 09 Made from high strength polypropylene that resists discolouration from oil and grease.



Bins can be stacked or hung on louvred panels.



Available in a range of colours to assist in more efficient picking.



Number of bins or wire baskets per 457mm wide panel

		P5 Maxi bins / W5 Wire Baskets				P10 Maxi bins / W10 Wire Baskets				P20 Maxi bins / W20 Wire Baskets			P30 Maxi bins / W30 Wire Baskets		P40 Maxi bins / W40 Wire Baskets		P60 Maxi bins / W60 Wire Baskets		
		1	2	3	4	1	2	3	4	1	2	3	1	2	1		1		
Single sided louvred panel dimension	475mm	5	6	7	8	5	6	7	8	4	5	6	1	2			1		Double sided louvred panel dimension
		9	10	11	12	9	10	11	12	7	8	9	3	4	2		2		
		13	14	15	16	13	14	15	16	10	11	12	5	6	3		3		
		17	18	19	20	17	18	19	20	13	14	15	7	8	4		4		
		21	22	23	24	21	22	23	24	16	17	18	9	10	5		5		
		25	26	27	28	25	26	27	28	19	20	21	11	12	6		6		
	914mm	29	30	31	32	29	30	31	32	22	23	24	13	14	7		7		
		33	34	35	36	33	34	35	36	25	26	27	15	16	8		8		
		37	38	39	40	37	38	39	40	28	29	30	17	18	9		9		
		41	42	43	44	41	42	43	44	31	32	33	19	20	11		11		
		45	46	47	48	45	46	47	48	34	35	36	22	23	12		12		
		49	50	51	52	49	50	51	52	37	38	39	25	26	13		13		
	1829mm	53	54	55	56	53	54	55	56	40	41	42	28	29	15		15		
		57	58	59	60	57	58	59	60	43	44	45	31	32	16		16		
		61	62	63	64	61	62	63	64	46	47	48	34	35	17		17		
		65	66	67	68	65	66	67	68	49	50	51	37	38	18		18		
		69	70	71	72	69	70	71	72	52	53	54	40	41	9		9		
		73	74	75	76	73	74	75	76	55	56	57	43	44	10		10		
		77	78	79	80	77	78	79	80	58	59	60	46	47	11		11		
		81	82	83	84	81	82	83	84	61	62	63	49	50	12		12		
		85	86	87	88	85	86	87	88	64	65	66	52	53	13		13		
		89	90	91	92	89	90	91	92	67	68	69	55	56	14		14		
		93	94	95	96	93	94	95	96	70	71	72	58	59	15		15		
										73	74	75	61	62	16		16		
										76	77	78	64	65	17		17		
										79	80	81	67	68	18		18		
										82	83	84	70	71	19		19		
										85	86	87	73	74	20		20		

- 01 Rear identification label for bin divisions.
- 02 Raised lug acts as a stop on shelving.
- 03 Deep rear lip to hang on louvred panel.
- 04 Front to back divider slots.
- 05 Wide identification label.
- 06 Bin can accommodate dividers with label holders.
- 07 Reinforced moulding provides stacking strength.



- 01 Durable polypropylene ensures bin is waterproof and unaffected by grease.
- 02 Wide hopper front allows easy access and increased visibility.
- 03 Create compartments with dividers*.
- 04 Neat nesting capability.
- 05 Divider slots.
- 06 Built in handle grip.
- 07 Label holder identifies contents.



Shelf bin range						
Width (mm)	105	168	105	168	168	105
Depth (mm)	600	600	445	445	295	295
Height (mm)	102	102	102	102	102	102

*Dividers sold separately.

Easyfit® Baskets & Louvred Panel.



Your need:

To store sterile medical supplies in a smart system which minimizes dust or bacteria being harboured. A solution combining baskets with small mesh apertures to prevent items falling through and optional louvred panels for convenient wall mounting.

Our solution:

The EasyFit® Wire Baskets are a range of quality baskets which fit onto the Dexion Louvred Panel. The wire basket design greatly enhances the ability to effectively store medical supplies whilst limiting the surface area available for dust and bacteria to accumulate. Each basket has a double wire on the top edge to ensure there are no sharp edges and can easily be removed from the panel for restocking or relocation of stored items. Baskets can be fitted to EasyFit Wire Louvred Panels or standard Louvred Panels.

Vital statistics:

Dimensions (matches Maxi-Bin Dimensions)

W5	108w X 113d X 60h mm
W10	108w X 171d X 85h mm
W20	143w X 218d X 125h mm
W30	210w X 273d X 165h mm
W40	418w X 273d X 165h mm
W60	418w X 450d X 215h mm
WP18 (Louvred Panel)	457w x 457h mm
WP36 (Louvred Panel)	457w x 914h mm
WP72 (Louvred Panel)	457w x 1829h mm
Finishes	Chrome, Stainless steel 304

office

Shelving	
Ultima CI-80 Shelving	62 – 63
Compactus	
Side2Side 2 Compactus	64
Freetrack 2 Longspan Compactus	65
Freetrack 2 Compactus	66
Mekdrive 3 Compactus	67
Mekdrive 3 Longspan Campactus	68
Mech Assist Compactus	69
Eclipse Powered Compactus	70
MaxiDrive Compactus	71
Easyfit Wire Compactus	72
Strata 2 Cabinets & Planters	
Sliding Door Cabinet	73
Tambour Door Cabinet	74
Swing Door Cabinet	75
Planter	76
Bookcase	77
Library Shelving	78 – 79
Lockers	
Agile lockers	80
Precision Classic Lockers	81
Precision Classic Vertical Filing Cabinet	81
FirstLine Cabinets & Planters	
Lateral Filing Cabinet	82
Vertical Filing Cabinet	82
Swing Door Cabinet	83
Stationery Cabinet	83
Bookcase	84
Planter	84
Caddy	85
Mobile Pedestal	85
Dynamic Locking	86 – 87



- 01** Slotted shelf dividers.
- 02** Shelf support.
- 03** Shelf dividers.
- 04** Wrap around file rack.
- 05** Pull out reference shelf.
- 06** Pull out file frame.
- 07** Media drawer.
- 08** Suspended filing rack.

Ultima® CI-80 Shelving.

Your need:

A single-tier, office storage system for light to medium weight items. Your business is growing and evolving, so you need a solution that can change with you.

Our solution:

Employing a modular system, Ultima CI-80 expands in any direction. A common frame panel makes sideways extension simple while units are made mobile with Compactus bases and runners. A wide range of accessories such as suspended filing racks, dividers and drawers allow you to switch between front office and back of house applications.

Vital statistics:

Shelving height	1875, 2175, 2400mm
Shelving width	750, 900, 1050, 1200mm
Shelving depth	250, 300, 400, 450, 500, 600mm
Shelf carrying capacity	Up to 240kg*
Shelving bay capacity	Standard frames - Up to 1035kg* Reinforced frames - Up to 1700kg*
Shelf pitch	25mm
Standard colour	Stone White

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

STORAGE Tip

Convert suspension filing to lateral filing to increase lineal metres of storage by using available vertical space.



Ultima CI-80 with steel shelves and finishing panels. Shelf carrying capacity can be increased to 240kg UDL by adding shelf supports.



Ultima CI-80 with steel shelves and finishing panels. Shelf carrying capacity can be increased to 170kg UDL by adding shelf supports.



Ultima CI-80 with steel shelves and finishing panels. Shelf carrying capacity can be increased to 170kg UDL by adding shelf supports.



Suspended filing racks for lateral shelf filing.



Suspended filing racks for lever arch binders.



Fully accessorised Ultima CI-80.



Ultima CI-80 archive solution.



Slide aside solution.

Side2Side 2 Compactus[®]

Your need:

A storage system that can be used in an area that is not being well utilised.

Our solution:

Side2Side 2 is the ideal system for transforming under-utilised areas such as alcoves into efficient storage space. It's simple; we just place a row of mobile shelving in front of a row of static shelving. This eliminates the need for permanent aisles as items stored are accessed from the front.

Vital statistics:

Drive type	Manual
Shelving and accessory system	Ultima CI-80
Maximum system width	Unlimited
Shelving width options	750, 900, 1050, 1200mm
Static shelving depth options	250, 300, 400, 450, 500, 600mm
Mobile shelving depth options	400, 450, 500, 600mm
Shelving height options	1875, 2175, 2400mm
Overall system height	1940, 2240, 2465mm
Maximum bay carrying capacity	500kg*
Anti-tilt system	Track and runner combination
Standard colour	Stone White (shelving) Anodised Aluminium (track and carriage)

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

STORAGE Tip

Increase your storage capacity by up to 66% by placing a row of mobile units in front of existing static shelving.

Freetrack[®] 2 Longspan Compactus[®]

Your need:

Compactus that can handle larger, bulkier or awkwardly shaped items.

Our solution:

Dexion's most versatile storage system, Ultima Longspan 2 mounted on the Freetrack 2 Compactus track and runner system. The track does not require floor fixings, this keeps floor loads to a minimum. It's the perfect solution for storage of archives, bulky items or back of house retail.

Vital statistics:

Drive type	Manual
Shelving and accessory system	Ultima Longspan 2
Maximum system width	2400mm
Shelving width options	900, 1200, 1500, 1800, 2100, 2400mm
Shelving depth options	400, 450, 500, 600, 760, 900, 1200mm
Shelving height options	1800, 2000, 2200, 2500mm
Overall system height	1865, 2065, 2265, 2565mm
Maximum bay carrying capacity	Up to 1500kg*
Anti-tilt system	Track and runner combination
Standard colour	Stone White (beams and shelves) Anthracite (uprights & bracing) Anodised Aluminium (track and carriage)

Shelf Options	Timber shelf infill Stepped beams with steel shelf infills Coat rails
---------------	---

*Uniformly Distributed Load. Shelf, beam and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



STORAGE Tip

Easily upgrade to a Mekdrive[®] 3 mechanically assisted drive type.



The unique runner mounted anti-tilt mechanism secures the shelving units to the tracks.



Stylish and sleek track system with ramps provides safe access between shelving bays.



Unique pivoting ramps follow the contours of the floor and provide a seamless transition between the flooring and track.




Freetrack 2 Longspan Compactus is effortlessly moved using an attractive handle.



Stylish and sleek track system with ramps provides easy access between shelving bays.



The unique runner mounted anti-tilt mechanism secures the shelving units to the tracks.



Stylish and sleek track system with ramps provides safe access to shelving bays.



Freetrack 2 is effortlessly moved using an attractive handle. All units have the option to be lockable for added security.

Freetrack[®] 2 Compactus[®]

Your need:

A storage system that is easy to operate and does not need to be fixed to the floor.

Our solution:

Freetrack 2 is the ideal light-weight Compactus system for just about any storage and filing application. The lighter weight of the system reduces the chance of operator strain and loads imposed on the floor. Just because Freetrack 2 is lighter than other systems, this doesn't mean it isn't built tough. Move block-loads up to 1000kg effortlessly with Freetrack 2 Compactus.

Vital statistics:	
Drive type	Manual
Shelving and accessory system	Ultima CI-80
Maximum system width	1800mm (2 x 900mm bays)
Shelving width options	750, 900, 1050, 1200mm
Shelving depth options	250, 300, 400, 450, 500, 600mm
Shelving height options	1875, 2175, 2400mm
Overall system height	1940, 2240, 2465mm
Maximum bay carrying capacity	500kg*
Anti-tilt system	Track and runner combination
Security	Unit lock and/or aisle lock
Standard colour	Stone White (shelving) Anodised Aluminium (track and carriage)
*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.	

STORAGE Tip
Easily upgrade to a Mekdrive[®] 3 Compactus[®].

Mekdrive[®] 3 Compactus[®]

Your need:

A light weight, high-density mobile filing and storage system that allows you to easily move heavy loads via a handwheel.

Our solution:

Mekdrive[®] 3 revolutionises filing and storage systems with advanced technology and design. It is the lightest mechanically-assisted mobile storage system available; this keeps floor loads to a minimum, a major consideration in most high rise buildings. And best of all, its 'positive drive' technology and ergonomically designed hand-wheel move 6000kg or 10000kg block loads at up to four shelving bays wide, effortlessly, removing operator strain. Optional long ramps cater for extremely uneven floors.

Vital statistics:	
Drive type	Mechanically assisted
Shelving and accessory system	Ultima CI-80
Maximum system width	4800mm * Subject to a maximum of 5 tracks in width (4 shelving bays) and maximum movable block load
Shelving width options	750, 900, 1050, 1200mm
Shelving depth options	250, 300, 400, 450, 500, 600mm
Shelving height options	1875, 2175, 2400mm
Overall system height	1940, 2240, 2465mm
Maximum bay carrying capacity	Up to 500kg based on Uniformly Distributed Load
Maximum movable block load	Options for 6,000kg and 10,000kg based on uniformly distributed loads
Security	Unit lock and/or aisle lock
Standard colour	Stone White (shelving), Anodized Aluminium (Track and carriage)




The Mekdrive 3 hand-wheel can be retro-fitted to Mekdrive 1 and 2 systems with a simple modification.



The system includes patented pivoting ramps, unique to the Mekdrive 3 Compactus[®], which can accommodate varying floor contours and are available in two lengths to control the gradient angle.

office products



Mekdrive® 3 Longspan Compactus®

Your need:

A storage system for bulky or awkward items with a handwheel for easy movement of larger loads.

Our solution:

The Mekdrive® 3 Longspan Compactus® provides incredible value and cost efficiencies when compared with traditional mechanically operated fixed-track systems. The robust chain drive and ergonomically designed hand-wheel moves 6,000kg or even 10,000kg block loads effortlessly, eliminating operator strain and can accommodate varying floor contours.

Vital statistics:

Drive type	Mechanically assisted
Shelving and accessory system	Dexion Ultima Longspan 2
Maximum system width	2400mm
Shelving width (bay width)	900, 1200, 1500, 1800, 2100, 2400mm
Shelving depth	400, 450, 500, 600, 760, 900, 1200mm
Shelving height	1200, 2000, 2200, 2500mm
Maximum bay carrying capacity*	Up to 1500kg based on Uniformly Distributed Load
Maximum movable block load	Options for 6,000kg and 10,000kg based on uniformly distributed loads
Anti-tilt system	Track and runner combination
Standard colour	Stone White (Beams and shelves), Anthracite (Uprights and Bracing), Anodized Aluminium (Track and carriage)



Modern and unique stylised hand-wheel with integrated spinner handle, providing safer and easier operation.



The system includes patented pivoting ramps, unique to the Mekdrive 3 Longspan Compactus®, which can accommodate varying floor contours.



Mech Assist Compactus®

Your need:

A large, heavy duty, high density mobile storage system for a wide variety of materials of different size, weight and shape. Minimal footprint and minimal construction costs is a plus.

Our solution:

The Dexion Mech Assist Compactus is the safest mechanically assisted Compactus available in Australia today. This storage system cleverly optimises floor space and puts all the storage efficiency you could ever need at your fingertips. Operation is smooth and effortless due to the ability to select a drive ratio which suits the load of the Compactus and its contents. Dexion Mech Assist Compactus provide market leading safety features, and can be easily upgraded to powered operation at any time in the future.

Vital statistics:

Drive type	Mechanically assisted (line shaft or synchronised)
Rail system	Recessed in-floor or above-floor
Shelving and accessory system	Ultima CI-80 or Longspan2
Maximum system width	13700mm – longer on request
Shelving width	750, 900, 1050, 1200mm
Shelving depth	250, 300, 400, 450, 500, 600mm
Shelving height	1875, 2175, 2400mm
Overall system height	2020, 2320, 2545mm
Maximum bay carrying capacity	Up to 1500kg per linear metre*
Anti-tilt system	In-track anti-tip rail with dual flange guidance
Security	Unit lock and/or safety lock
Standard colour	Stone White (shelving) White (carriages) Laminate (end panels)

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Optional safety sweep works as a safety lock, activated by light foot pressure, to allow users working within the open aisle to lock the carriage in position.



The standard safety lock prevents unwanted movement of bays. It has a bright visual indicator clearly showing the lock status. Optional automatic locks are available which help prevent the system from being closed when an aisle is in the open position.

office products



Eclipse Powered Compactus[®]

Your need:

A heavy duty powered high density mobile storage system capable of carrying large loads over large footprints. Ideal for when you need options for guidance, control and safety, environmental monitoring, security, lighting and more.

Our solution:

The Dexion Eclipse Powered Compactus makes high-density mobile storage more efficient than ever before. The drivers behind the Dexion Eclipse are safety, ease of use, productivity and reliability. The system you buy today can easily evolve into the system you'll need tomorrow. This is the only system available that provides a battery override back up to allow you to access the Compactus when there is a power outage. The rechargeable battery back up is guaranteed for up to 80 carriage movements. The new Bluetooth TUSC™ Control App gives you even faster access and retrieval of contents.

Vital statistics:

Drive type	Powered, motor driven (line shaft or synchronised)
Rail system	Recessed in-floor or above-floor
Shelving and accessory system	Ultima CI-80
Maximum system width	24.6m (Longer on request)
Shelving width	750, 900, 1050, 1200mm
Shelving depth	250, 300, 400, 450, 500, 600mm
Shelving height	1875, 2175, 2400mm
Overall system height	1120, 2020, 2320, 2545mm
Maximum bay carrying capacity	Up to 1500kg per lineal metre*
Maximum movable block load	20 tonne
Anti-tilt system	In-track anti-tip rail with dual flange guidance
Security	Various system and individual user options
Standard colour	Stone White (shelving) White (carriages) Laminate (end panels)

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



New option LCD touchscreen controller with inbuilt user tutorials and security functionality.



Light-immune photo sweep uses an infrared beam to detect people or objects within a closing aisle.



The TUSC™ Control app allows you to open and close aisles, browse and search for stored items, and view your system's safety status.

MaxiDrive Compactus[®]

Your need:

An aesthetically appealing mobile storage solution for meeting high capacity demands in medium to large footprints.

Our solution:

The MaxiDrive Compactus is capable of carriage lengths of up to a staggering 14,440mm (nominal) supported by a choice of two drive ratios. MaxiDrive delivers superior storage density in a mechanically operated system for your available floor area, catering for any item in the office, back of house retail, library, warehouse or archive.

Vital statistics:

Drive type	Mechanically assisted (Positive Drive)
Shelving and accessory system	Ultima CI-80
Maximum system width	14,440mm
Shelving width	900, 1050, 1200mm
Shelving depth	300, 400, 450, 500, 600mm
Shelving height	1875, 2175, 2400mm
Maximum bay carrying capacity*	Up to 1000kg per lineal metre
Maximum movable block load*	20 tonne
Security	Unit, Hub and Aisle Locking
Standard colour	Stone White (shelving), White Satin (carriages & finishing panels)
Anti-Tilt System	'Intrack anti-tilt'

*Uniformly Distributed Load. Shelf, beam and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Unique handwheel disc design delivers a 'Hub Lock' on each handwheel for superior user safety as well as an ergonomic hand grip on the outer edge and spinner handle for user-friendly operation.



Two gear reduction ratios available to tailor operation to the weight load of your contents.

office products



Easyfit® Wire Compactus®

Your need:
To minimise the surface area which can harbour bacteria or dust and to allow a constant flow of air around the stored items.

Our solution:
The Dexion EasyFit® Wire Compactus® provides a clear, continuous area for optimal sterilisation and can dramatically improve the storage capacity of your floor space. It can easily be re-configured to suit storage of any kind. It utilises an overhead rail to guide the mobile shelving bays within the unit, which are fitted with castors to ensure the floor below can easily be cleaned.

Vital statistics:	
Drive type	Overhead Rail and Castors
Heights	Static Bay: 2260mm
	Mobile Bay: 2040mm
Widths	757, 910, 1060, 1215, 1372, 1518mm
Maximum System Width	1518mm
Depths	355, 460, 533, 610mm
Adjustment pitch	25.4mm
Standard Finish	Chrome, Stainless steel 304
Accessories	Shelf Ledges
	Shelf Dividers
Maximum System Width	1518mm

Strata 2 Sliding Door Cabinet.

Your need:
A cabinet that's aesthetically appealing and provides acoustic dampening for noisy ares.

Our solution:
Designed to maximise space. Sliding doors glide open, lock shut and don't impede walkways they face. The stylish, perforated panels absorb sound and look smart. Durably powder coated in white satin.

Vital statistics:	
Height	970, 1000, 1200mm
Width	1200mm (1 x 1150 internal)
	1600mm (2 x 750 internal)
	1800mm (2 x 850 internal)
	2000mm (2 x 950 internal)
Depth (including door)	480mm
Shelf pitch	25mm increments
Shelf carrying capacity	Up to 130kg per shelf*
Standard colours	White Satin (Externals)
	Stone White (Internals)

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



The door's bevelled edge adds to the sleek streamlined design. Doors perfectly align when either side is open.



Perforated doors with acoustic sound absorption panels create a modern aesthetic and enhanced sound absorption.



office products

Strata 2 Tambour Door Cabinet.



As standard ABS door slats, including translucent finish.



Secure Pincer Locking System operates two lock latches with separate anchor points in the door, for added security.



Full-length magnetic strips for snug fit and appearance when doors are closed.

Your need:

Attractive, multi-purpose cabinets for personal or general storage. Must offer flexibility combined with clever use of space, and without obstructing adjacent space.

Our solution:

Makes the most of available space. Tambour doors neatly recede and 'disappear' to avoid impeding walkways they face. Magnetic strips ensure snug fit and finish when doors are closed. Choice of ABS door slat colours including translucent with GECA certification. Cabinet sizes to match common workstation and screen dimensions. Castors can be added if mobility is needed. Dexion's unique dual cam lock provides added security.

Vital statistics:

Height	670, 970, 1000, 1200, 1275, 1650, 1980mm
Width	900mm (750 internal) 1050mm (900 internal) 1200mm (1050 internal)
Depth	460mm
Shelf pitch	25mm increments
Shelf carrying capacity	Up to 130kg per shelf*
Locking mechanism	Secure pincer locking system
Standard colours	White Satin (Externals) Stone White (Internals)

Wide range of other colours available on request**

Slat material	ABS
Slat colours	White Satin, Translucent**

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

**Whilst we try to provide a close match between substrates (plastic and powder coat) colours may slightly vary.



Strata 2 Swing Door Cabinet.

Your need:

You simply need the security and peace of mind of a cabinet that will keep your property and documents safe under lock and key.

Our solution:

A sturdy and stylish performer, this all-steel cabinet with enclosed frame, reinforced doors, full height ergonomic handle, concealed hinges and two-point locking system delivers peace of mind for the secure storage of important documents.

Vital statistics:

Height	670, 970, 1000, 1200, 1275, 1650, 1980mm
Width	900mm (850 internal)
Depth	460mm
Shelf pitch	25mm increments
Shelf carrying capacity	Up to 130kg UDL per shelf*
Standard colours	White Satin

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Internally concealed hinges for a clean external finish.



Lockable doors provide extra security for sensitive documents.



Perforated planter, provides acoustic dampening.



Plain planter, designed to achieve maximum strength and rigidity.



The Strata 2 planters have been designed to work together with the entire suite of Strata 2 cabinets. The modular design accommodates all plant types, and ensures easy maintenance and care.

Strata 2 Planter.

Your need:

A contemporary, green way to enjoy nature in your office, without using precious floor space.

Our solution:

Attractive but practical planter boxes that sit neatly above storage cabinets, so you don't 'waste' space. Add life, colour and a sense of balance to work environments, and improve the air quality and ambience. Screen workstations in a fresh way. Optional moulded full depth safety liners for support and moisture protection. Dexion's unique top tray incorporates folding tabs, to avoid loss of fill material into the plants.

Vital statistics:

Height	230mm
Width	900, 1050, 1200, 1600, 1800, 2000mm
Depth	460mm
Pot sizes	Planters are designed to accept 200mm (8") pots as standard, with a maximum aperture of 230mm (9")

Number of pots each planter size can accommodate	
900mm wide planter	– 3 x 200mm pots
1050mm wide planter	– 3 x 200mm pots
1200mm wide planter	– 4 x 200mm pots
1600mm wide planter	– 5 x 200mm pots
1800mm wide planter	– 6 x 200mm pots
2000mm wide planter	– 6 x 200mm pots

Standard colours	White Satin
------------------	-------------

Note: Planters should not be placed on cabinets taller than 1200mm high.



Strata 2 Bookcase.

Your need:

Be able to access stored items quickly and / or frequently, or have material on display that doesn't need to be secure.

Our solution:

This powder coated bookcase provides ready accessibility, showcasing all contents, with the flexibility of an option to convert the unit to a secure, enclosed cabinet with a swing door or tambour door.

Vital statistics:

Height	670, 970, 1000, 1200, 1275, 1650, 1980mm
Width	900mm (850 internal) 1050mm (1000 internal) 1200mm (1150 internal)
Depth	460mm
Shelf pitch	25mm increments
Shelf carrying capacity	Up to 130kg per shelf*
Standard colours	White Satin

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Binning dividers.



Wrap around wire rack.



Slotted shelf dividers.



office products

Precision® Library Shelving 2.

Your need:

A high-quality shelving solution that has virtually endless possibilities for storing and displaying reading, resource and reference material.

Our solution:

Precision Library Shelving 2 is ideal for academic, corporate, public and legal libraries as well as general office applications. It is adaptable to both stationary and mobile storage applications. Available with a wide range of configurations and accessory options.

Vital statistics:

Shelving height	1075, 1230, 1535, 1840, 1990, 2145, 2295mm
Shelving width	600, 900mm
Shelf depth	203, 254, 305, 381mm

Canopy depth	307mm (single), 358mm (single) 615mm (double), 717mm (double)
--------------	--


Wall channel length	2438mm
---------------------	--------

Standard colour	White satin
-----------------	-------------

Note: Shelf capacities may vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration .



Double sided mobile.




Bolted to wall (fixed) single sided.



Freestanding double sided.



Wall mounted.



Books never had it so good.

01 Canopy shelves.

02 Underslung endplates.

03 CD/DVD shelf.

04 CD/DVD display shelf.

05 CD/DVD display rack 2 tier.

06 CD/DVD display rack 4 tier.

07 Zig zag shelf display.

08 Selecta shelf.

09 Magazine shelf.

10 Magazine display shelf 2 tier.

11 Magazine display shelf 3 tier.

12 Hanging bag rail.

13 Pull out reference shelf.

14 Hinged shelf.

15 Browser bin.

16 Uptilt endplates.

17 Uptilt shelves.

18 Stayput book support.

19 Bookshelf indicator.

20 Bookend.

21 Slotted shelf endplates.

22 Slotted shelf back.

23 Slotted shelf.

24 Slotted shelf dividers.

25 Magazine waterfall shelf 6 tier.

26 End panels – plain.

27 End panels – display.

28 End panel display shelf.

office products



Agile Lockers.

Your need:
Functional and ergonomic lockers that supports day to day business activities.

Our solution:
Dexion Agile Lockers offer a wide range of flexibility to meet the growing demand for locker solutions within today's health facilities and workplace environments. Agile Lockers have been designed with adaptability in mind and can be configured to meet your specific needs.

Vital statistics:	
Door configuration	1, 2, 3 or 4 tiers
Height	1050, 1500, 1950mm (includes 150mm kickplate)
Width	400mm
Depth	460mm
Carcase Finish	White E-zero 16mm moisture resistant laminate
Exterior Finish	Standard or E-zero (16 or 18mm) laminate and nominated from a wide range of standard and custom finishes

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

Precision Classic Lockers.



Your need:
To store your personal belongings in a secure place while at work or during a recreational activity.

Our solution:
The Precision Classic Locker features an all-steel construction with a fully powder coated scratch resistant finish. There are five standard door options and two standard widths available. They feature ventilation slots, name card holders and optional sloping tops. Doors are secured via cam locks as standard or optional battery powered locks from Dexion's Dynamic Locking range.

Vital statistics:	
Height	1800mm
Width	300, 375mm
Depth	457mm
Door configurations	1-4 Doors, 2 Stepped Door
Standard features	Flush handle with 3 point locking to 1 Door locker Coat rail to 1, 2 and Stepped Door lockers
Security	Cam key lock as standard with master key available Optional battery powered Dynamic Locking - Silver or Gold level
Standard Colour	White Satin
Other Colours	POA

Precision Classic Vertical Filing Cabinet.



Your need:
A secure, sturdy and quality document storage cabinet designed for heavier loads and high use. An independently tested and AFRDI certified cabinet which carries an extended warranty and optimises storage capacity.

Our solution:
Manufactured with an all-steel construction and fully powder coated scratch resistant finish the Precision Classic Vertical Filing Cabinet is designed to highest industry standards. Full height drawer sides provide protection and support for suspension files as well as allow for alternative storage uses. Each unit comes with a heavy-duty double extension ball bearing runner system, an anti-tilt safety system and a secure locking system with master key availability.

Vital statistics:	
Height	720mm (2 Drawer), 1020mm (3 Drawer), 1320mm (4 Drawer)
Width	470mm
Depth	620mm
Drawer load	30kg
Standard Colour	White Satin
Other Colours	POA

FirstLine Lateral Filing Cabinet.



Your need:

To store high volumes of suspension files in a cabinet of sturdy construction, equipped with an advanced anti-tilt mechanism and providing easy access via a full width handle.

Our solution:

Clever and seamless interior storage layout. Sturdily built to comfortably store a high volume of documents. Two, three or four drawers. The secure locking system provides peace-of-mind that items stored will be kept safe. When creating a contemporary and functional working environment, the FirstLine Lateral Filing Cabinet range is the perfect choice.

Vital statistics:	
Height	710mm (2 Drawer), 1010mm (3 Drawer) 1320mm (4 Drawer)
Width	910mm
Depth	460mm
Standard Colour	White Satin
Other Colours	POA

FirstLine Vertical Filing Cabinet.



Your need:

A secure and economical solution for suspension file storage.

Our solution:

Our FirstLine Vertical Filing Cabinets provide you with the ultimate in strength and security. Each unit comes with a heavy-duty double extension ball bearing runner system, an anti-tilt safety system and a secure locking system with master key availability.

Vital statistics:	
Height	720mm (2 Drawer), 1020mm (3 Drawer), 1320mm (4 Drawer)
Width	470mm
Depth	620mm
Drawer Load	25kg
Standard Colour	White Satin
Other Colours	POA

FirstLine Swing Door Cabinet.



Your need:

An all purpose heavy duty cabinet designed to deliver enhanced security and handle the demands of high use.

Our solution:

Our FirstLine Swing Door Cabinets are built to the highest industry standards to meet the needs of the most demanding commercial use. Boasting a full height recessed ergonomic handle for ease of access and fitted with a 3-point locking mechanism for added security. All shelves are reinforced and adjustable. Shelves come included with the unit.

Vital statistics:	
Height	970mm (2 Shelves), 1000mm (2 Shelves), 1200mm (3 Shelves), 1980mm (5 Shelves)
Width	900mm
Depth	460mm
Shelf Load	50kg UDL*
Standard Colour	White Satin
Other Colours	POA

*Uniformly Distributed Load.

FirstLine Stationery Cabinet.



Your need:

An economical cabinet that can safely store your stationery and personal belongings.

Our solution:

Specially designed to meet your stationery storage needs, FirstLine Stationery Cabinets are built to the highest industry standards. All steel construction with fully powder coated finish. Secure 3-point locking system provides peace-of-mind that items stored will be kept safe. All shelves are adjustable and come included with the unit.

Vital statistics:	
Height	914mm (2 Shelves), 1118mm (2 Shelves), 1830mm (4 Shelves), 1980mm (4 Shelves)
Width	910mm
Depth	460mm
Shelf Load	40kg UDL*
Standard Colour	White Satin
Other Colours	POA

*Uniformly Distributed Load.

FirstLine Bookcase.




Your need:
A versatile cabinet that allows for quick access to contents where security is not required.

Our solution:
The FirstLine Bookcase is an economical shelving solution which comes with 2-5 adjustable shelves so there's plenty of room to store and showcase your books, binders and more.

Vital statistics:	
Height	970mm (2 Shelves), 1000mm (2 Shelves), 1200mm (3 Shelves), 1980mm (5 Shelves)
Width	900, 1200mm
Depth	460mm
Shelf Load	900mm Wide Option: 40kg UDL* 1200mm Wide Option: 50kg UDL*
Standard Colour	White Satin
Other Colours	POA

*Uniformly Distributed Load.

FirstLine Planters.



Your need:
To add some greenery and style to your workspace, without impeding on your limited floor area.

Our solution:
FirstLine Planters are designed to be used on top of a wide variety of cabinets, they consist of 2 nested components: a powder coated steel carcass and a powder coated steel top tray with Dexion's unique folding tabs to avoid the common issues of tray dressing falling into the carcass. Tray can be inverted for a flush finish to top of box when dress fill is not used. Available in both perforated and plain options. No inner liner included.

Vital statistics:	
Height	230mm
Width	900, 1200mm
Depth	460mm
Type	Perforated, Plain
Standard Colour	White Satin
Other Colours	POA

FirstLine Caddy.



Your need:
A lockable multi-function office storage unit that complements your workspace and fits under most standard workstations.

Our solution:
The FirstLine Caddy is an all-in-one solution whether you require drawer space for stationery items, suspension filing space, shelves for personal items or lateral files. It combines the benefit of a Pedestal and a Tambour in one unit. The secure locking system with master key availability provides peace-of-mind that items stored will be kept safe.

Vital statistics:	
Height	640mm
Width	1050mm
Depth	460mm
Configuration	Left or Right Sided
Standard Colour	White Satin
Other Colours	POA

*Uniformly Distributed Load.

FirstLine Mobile Pedestal.



Your need:
A mobile storage unit that can be easily moved around, with a variety of drawer and vertical file options.

Our solution:
The FirstLine Mobile Pedestal mobile pedestal has the popular 'flush front' design - with the side pull, doing away with the need to have more traditional, protruding handles. The full extension runners on the unit's drawers, allow you to access all of the usable filing space with ease. The secure locking system with master key availability provides peace-of-mind that items stored will be kept safe.

Vital statistics:	
Height	505mm (2 Drawer), 610mm (3 Drawer)
Width	310mm (Slim, 3 drawer only), 460mm
Depth	472mm
Standard Colour	White Satin
Other Colours	POA

Dynamic Locking
Bronze.



Key Lock



Latch Lock



Mech Lock



HD Freetrack Aisle Lock

Secure storage you can rely on. Keyed lock systems designed to suit any business large or small.

Vital statistics:	
Lock Type	Lock Barrel / Latch
Lock Operation	Key / Padlock
Lock Barrel Options	'Keyed to differ' or 'Keyed alike'
Accessories	Master Keys / Barrel Removal key / Replacement barrels (with 2 keys)

Dynamic Locking
Silver.



Aspire 5G



Sola 5G



Axis 5G

Flexible locks to future proof your security. Power up your security with Keypad, RFID or Mobile APP operated locks. These locks are designed to provide users with friendly and intuitive interface options, including use of existing Smartcards and supported by either Basic or Advanced Electronic Key Management.

Dynamic Locking
Silver. (cont.)



Cue 5G



Versa 5G



Range 5G

Vital statistics:	
Lock Type	Battery Powered
Lock Operation	Keypad / RFID / Mobile APP
Lock Options	'Code Managed' or 'Key Managed' Models
Functionality	'Shared' or 'Assigned' Use
Lock Engagement	Deadbolt / Deadlatch / Rotating Cam
Features	Audible and visual indicators
	Auto unlock capability
	Audit trail downloads
	Disability extended handles
	Surface or recess mount options
User RFID Credentials	Vertical or horizontal body orientation
	Various colours and finish options
Accessories	Card / FOB / Bracelet / Adhesive Label
Electronic Key	
Accessories	Data / Programming / Manager Bypass / User / Reset

Dynamic Locking
Gold.



Aspire 6G



Versa 6G



Orbit 6G



Digilink

Networked locks with enhanced capabilities. An advanced lock system incorporating Bluetooth connectivity which is ideal for remote working and multi-site or medium to large scale deployment. The networked solution lets you remotely manage your facility and users from anywhere whilst maintaining ultimate visibility, responsiveness and reporting. A networked lock solution without the need for expensive infrastructure.

Vital statistics:	
Lock Type	Battery Powered
Lock Operation	Keypad / RFID / Mobile ID / Remote Management
Lock Options	Centralised Management - DIGILINK Network System
Functionality	'Shared' or 'Assigned' Use
Lock Engagement	Deadbolt / Deadlatch / Rotating Cam
Features	Remote user set up and access management
	Remote lock functionality programming
	Remote set up for shared or assigned use
	Remote manager override / unlock
	Audible and visual indicators
	Advanced auto unlock
	Audit trail and usage data analytics
	Disability extended handles
	Surface or recess mount options
	Vertical or horizontal body orientation
User RFID Credentials	Various colours and finish options
	Card / FOB / Bracelet / Adhesive Label

office products